ACI MATERIALS JOURNAL

INDEX VOLUME 96, 1999

From a Journal of the American Concrete Institute, January through December 1999

progress through knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

INDEX

ACI Materials Journal VOLUME 96, 1999

Remove this section and include it with your January through December 1999 Volume 96 issues of the *ACI Materials Journal*.

A

Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Ghafoori, N., and Diawara, H., Sept.-Oct. 1999 559

Acoustics

—Cracking behavior of steel fiber reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) Van Hauwaert, A., Delannay, F., and Thimus, J.-F., May-June 1999 291

—Effect of shrinkage and load-induced cracking on water permeability of concrete (96-M30) Hearn, N., Mar.-Apr. 1999 234

Admixtures

—Applications of statistical models for proportioning underwater concrete (96-M77) Khayat, K. H., Yahia, A., and Sonebi, M., Nov.-Dec. 1999 634

—Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Macias, A., and Goñi, S., Jan.-Feb. 1999 40

—Effect of admixtures on thermal and thermomechanical behavior of cement paste (96-M57) Fu, X., and Chung, D. D. L., July-Aug. 1999 455

—Superplasticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Pinto, R. C. A., and Hover, K. C., Sept.-Oct. 1999 600

Aggregates

—Influence of aggregate surface area on mechanical properties of mortar (96-M80) Goble, C. F., and Cohen, M. D., Nov.-Dec. 1999 ... 657

—Kinematics of dry-mix shotcrete (96-M35) Armelin, H. S., Banthia, N., and Mindess, S., May-June 1999 283

—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Nisnevich, M., Schlesinger, T., Eshel, Y., and Grof, Y., Mar.-Apr. 1999 250

—Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) Mohamed, A. F., and Hansen, W., May-June 1999 354

—Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Choi, S., and Shah, S. P., Mar.-Apr. 1999 255

Ahmed, T.—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) July-Aug. 1999 419

Air entrainment

—Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Whiting, D., and Nagi, M., Jan.-Feb. 1999 101

Al-Gadhib, A. H.—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Sept.-Oct. 1999 542

Alkali-aggregate (reactions)

—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Zhang, C., Wang, A., Tang, M., and Zhang, N., Mar.-Apr. 1999 204

—Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) Lo, K. Y., and Hefny, A. M., May-June 1999 339

Alkali-silica reactions

—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1999 ... 419

Al-Khaiat, H.—Effects of pollution from Kuwait oil well fires on concrete properties (96-M16) Jan.-Feb. 1999 109

Al-Manaseer, A. A.

—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Sept.-Oct. 1999 529

—Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) July-Aug. 1999 440

Alonso, M. C.—Changes in concrete pore size distribution due to electrochemical chloride migration trials (96-M39) May-June 1999 314

Al-Oraimi, S.—Prediction of cement degree of hydration using artificial neural networks (96-M21) Mar.-Apr. 1999 167

Al-Shannag, M. J.—Compressive behavior of slurry infiltrated mat concrete (96-M46) May-June 1999 367

Anchorage

—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) Bernardi, S., Mesureur, B., and Rivillon, P., July-Aug. 1999 491

Andrade, C.—Changes in concrete pore size distribution due to electrochemical chloride migration trials (96-M39) May-June 1999 314

Anson, M.—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) May-June 1999 .. 405

Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686

Application of neural networks for proportioning of concrete mixes (96-M9) Oh, J.-W., Lee, I.-W., Kim, J.-T., and Lee, G.-W., Jan.-Feb. 1999 61

Applications of statistical models for proportioning under-water concrete (96-M77) Khayat, K. H., Yahia, A., and Sonebi, M., Nov.-Dec. 1999 634

Aquino, E. B.

—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Sept.-Oct. 1999 529

—Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) July-Aug. 1999 440

Ariño, A. M.—Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Jan.-Feb. 1999 68

Armaghani, J.—Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Mar.-Apr. 1999 226

Armelin, H. S.—Kinematics of dry-mix shotcrete (96-M35) May-June 1999 283

Autogenous healing

—Water permeability and autogenous healing of cracks in concrete (96-M56) Edvardsen, C., July-Aug. 1999 448

B

Bager, D.—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) July-Aug. 1999 429

Balaguru, P.—Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Sept.-Oct. 1999 605

Baluch, M. H.—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Sept.-Oct. 1999 542

Banthia, N.

—Kinematics of dry-mix shotcrete (96-M35) May-June 1999 283

—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part 1: Assessment and calibration (96-M79) Nov.-Dec. 1999 651

Barakat, S. A.—Prediction of cement degree of hydration using artificial neural networks (96-M21) Mar.-Apr. 1999 167

Barr, B. I. G.—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Jan.-Feb. 1999 74

Bartlett, F. M.—Variation of in-place concrete strength in structures (96-M34) Mar.-Apr. 1999 261

Basma, A. A.—Prediction of cement degree of hydration using artificial neural networks (96-M21) Mar.-Apr. 1999 167

Baum, H.—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Jan.-Feb. 1999 116

Baweja, D.

—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) May-June 1999 306

—Specification of concrete for marine environments—A fresh approach (96-M58) July-Aug. 1999 462

Bažant, Z. P.—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Sept.-Oct. 1999 . . 580
Beams
—Modeling concrete shrinkage under variable ambient conditions (96-M5) Torrenti, J. M., Granger, L., Diruy, M., and Genin, P., Jan.-Feb. 1999 35
Beaudoin, J. J.—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Sept.-Oct. 1999 551
Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) Saafi, M., Toutanji, H. A., and Li, Z., July-Aug. 1999 500
Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96M-7) Schneider, U., and Chen, S.-W., Jan.-Feb. 1999 47
Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Dancygier, A. N., Yankelevsky, D. Z., and Baum, H., Jan.-Feb. 1999 116
Bernardi, S.—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) July-Aug. 1999 491
Bhutta, M. A. R.—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Jan.-Feb. 1999 90
Biaxial
—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Subramaniam, K. V., Popovics, J. S., and Shah, S. P., Nov.-Dec. 1999 663
Bilodeau, A.—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Mar.-Apr. 1999 181
Binders
—Studies on hydration in high-volume fly ash concrete binders (96-M87) Jiang, L., Lin, B., and Cai, Y., Nov.-Dec. 1999 703
Blast furnace slag
—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1999 306
Bleeding
—High-performance cement grout for post-tensioning applications (96-M59) Khayat, K. H., Yahina, A., and Duffy, P., July-Aug. 1999 . . 471
Blended fly ash cements—A review (96-M78) Bouzoubaâ, N., Zhang, M.-H., Malhotra, V. M., and Golden, D. M., Nov.-Dec. 1999 . . . 641
Bond(ing)
—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1999. . . . 419
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Li, S. E., Geissert, D. G., Frantz, G. C., and Stephens, J. E., Mar.-Apr. 1999 242
—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Bhutta, M. A. R., Ohama, Y., and Demura, K., Jan.-Feb. 1999 90
Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Li, S. E., Frantz, G. C., and Stephens, J. E., Nov.-Dec. 1999 692
Bond strength of reinforcement in high-performance concrete: Role of silica fume, casting position, and superplasticizer dosage (95-M47)
—Hamad, B. S., and Itani, M. S., V. 95 Sept.-Oct. 1998 499
—Disc. by Esfahani, M.-R., July-Aug. 1999 510
Bouzoubaâ, N.—Blended fly ash cements—A review (96-M78) Nov.-Dec. 1999 641
Bridge decks
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Li, S. E., Frantz, G. C., and Stephens, J. E., Nov.-Dec. 1999 692
—Conductive concrete overlay for bridge deck deicing (96-M48) Yehia, S. and Tuan, C. Y., May-June 1999 382
—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Detwiler, R. J., Whiting, D. A., and Lagergren, E. S., Nov.-Dec. 1999 670
Bridges
—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Engelund, S., Sørensen, J. D., and Sørensen, B., Mar.-Apr. 1999 160
Brocca, M.—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Sept.-Oct. 1999 580
Burley, E.—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) July-Aug. 1999 419

C

Cai, Y.—Studies on hydration in high-volume fly ash concrete binders (96-M87) Nov.-Dec. 1999 703
Calibrating
—Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Whiting, D., and Nagi, M., Jan.-Feb. 1999 101
Campione, G.—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Jan.-Feb. 1999 2
Carbonation
—Effects of pollution from Kuwait oil well fires on concrete properties (96-M16) Al-Khaiat, H., Jan.-Feb. 1999 109
—Permeability and pore volume of carbonated concrete (96-M47) Claisse, P. A., El-Sayad, H., and Shaaban, I. G., May-June 1999 . . . 378
—Stress-strain characteristics of concrete columns externally confined with advanced fiber composite sheets (96-M50) Toutanji, H. A., May-June 1999 397
Castellote, M.—Changes in concrete pore size distribution due to electrochemical chloride migration trials (96-M39) May-June 1999 . . . 314
Cement content
—High-early-strength concrete—mixture proportioning with processed cellulose fibers for durability (96-M73) Soroushian, P., and Ravanbakhsh, S., Sept.-Oct. 1999 593
Cement pastes
—Effect of admixtures on thermal and thermomechanical behavior of cement paste (96-M57) Fu, X., and Chung, D. D. L., July-Aug. 1999 455
Cement types
—Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) Al-Manaseer, A. A., and Aquino, E. B., July-Aug. 1999 440
Chan, S. Y. N.—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) May-June 1999 405
Changes in concrete pore size distribution due to electrochemical chloride migration trials (96-M39) Castellote, M., Andrade, C., and Alonso, M. C., May-June 1999 314
Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Macias, A., and Goñi, S., Jan.-Feb. 1999 40
Chemical composition
—Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Macias, A., and Goñi, S., Jan.-Feb. 1999 40
Chen, S.-W.—Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96-M7) Jan.-Feb. 1999 . . 47
Cheran, L. S.—Crushed bricks as coarse aggregate for concrete (96-M60) July-Aug. 1999 478
Chi, P.-Y.—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Jan.-Feb. 1999 84
Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1999 306
Chlorides
—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1999 306
—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Zhang, M.-H., Bilodeau, A., Malhotra, V. M., Kim, K.-S., and Kim, J. C., Mar.-Apr. 1999 181
—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) Li, Z., Peng, J., and Ma, B., May-June 1999 391
—Numerical simulation of reinforced concrete deterioration—Part 1: Chloride diffusion (96-M22) Hansen, E. J., and Saouma, V. E., Mar.-Apr. 1999 173
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) Hansen, E. J., and Saouma, V. E., May-June 1999 331
—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Gu, P., Beaudoin, J. J., Zhang, M.-H., and Malhotra, V. M., Sept.-Oct. 1999 551
—Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Luciano, J., and Miltenberger, M., Nov.-Dec. 1999 698

—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Otuski, N., Hisada, M, Otani, T, and Maruyama, T., Nov.-Dec. 1999 627
Choi, S.—Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Mar.-Apr. 1999 255
Chui, N. C.—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Sept.-Oct. 1999 574
Chung, D. D. L.—Effect of admixtures on thermal and thermo-mechanical behavior of cement paste (96-M57) Fu, X., and Chung, D. D. L., July-Aug. 1999 455
Claisse, P. A.—Permeability and pore volume of carbonated concrete (96-M47) May-June 1999 378
Cohen, M. D.—Influence of aggregate surface area on mechanical properties of mortar (96-M80) Nov.-Dec. 1999 657
Columns
—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) Saafi, M., Toutanji, H. A., and Li, Z., July-Aug. 1999 500
Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Tasdemir, C., Tasdemir, M. A., Mills, N., Barr, B. I. G., and Lydon, F. D., Jan.-Feb. 1999 74
Comparison between diffusion test and electrochemical acceleration test for leaching degradation of cement hydration products (96-M27) Saito, H., and Nakane, S., Mar.-Apr. 1999 208
Compression
—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Tang, T., Yang, S., and Zollinger, D. G., Jan.-Feb. 1999 3
—Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) Mohamed, A. F., and Hansen, W., May-June 1999 354
—Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Choi, S., and Shah, S. P., Mar.-Apr. 1999 255
Compressive behavior of slurry infiltrated mat concrete (96-M46) Krstulovic-Opara, N. and Al-Shannag, M. J., May-June 1999 367
Compressive strength
—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Phoon, K. K., Wee, T. H., and Loi, C. S., Sept.-Oct. 1999 568
—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1999 . . 419
—Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Ariño, A. M., and Mobasher, B., Jan.-Feb. 1999 68
—Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Toutanji, H. A., and Balaguru, P., Sept.-Oct. 1999 605
—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Al-Manaseer, A. A., Aquino, E. B., and Kumbargi, H., Sept.-Oct. 1999 529
—Stress-strain characteristics of concrete columns externally confined with advanced fiber composite sheets (96-M50) Toutanji, H. A., May-June 1999 397
—Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) Oluokun, A. F., and Malak, S. A. J., May-June 1999 320
—Variation of in-place concrete strength in structures (96-M34) Bartlett, F. M., and MacGregor, J. G., Mar.-Apr. 1999 261
—Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) Al-Manaseer, A. A., and Aquino, E. B., July-Aug. 1999 440
Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Campione, G., Mindess, S., Zingone, G., Jan.-Feb. 1999 27
Computers
—Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Choi, S., and Shah, S. P., Mar.-Apr. 1999 255
Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Zhang, M.-H., Bilodeau, A., Malhotra, V. M., Kim, K.-S., and Kim, J. C., Mar.-Apr. 1999 181
Concretes
—Application of neural networks for proportioning of concrete mixes (96-M9) Oh, J.-W., Lee, I.-W., Kim, J.-T., and Lee, G.-W., Jan.-Feb. 1999 61
—Changes in concrete pore size distribution due to electro-chemical chloride migration trials (96-M39) Castellote, M., Andrade, C., and Alonso, M. C., May-June 1999 314
—Crushed bricks as coarse aggregate for concrete (96-M60) Mansur, M. A., Wee, T. H., and Cheran, L. S., July-Aug. 1999 478
—Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sonebi, M., and Khayat, K. H., Sept.-Oct. 1999 519
—Effects of pollution from Kuwait oil well fires on concrete properties (96-M16) Al-Khaiat, H., Jan.-Feb. 1999 109
—Extension towards early age concrete of CEB-FIP model code 1990 stress-strain relation for short-term compressive loading (96-M14) De Schutter, G., Jan.-Feb. 1999 95
—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Subramaniam, K. V., Popovics, J. S., and Shah, S. P., Nov.-Dec. 1999 663
—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Bažant, Z. P., Kim, J. J. H., and Brocca, M., Sept.-Oct. 1999 580
—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) Li, Z., Peng, J., and Ma, B., May-June 1999 391
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part 1: Assessment and calibration (96-M79) Banthia, N., and Dubey, A., Nov.-Dec. 1999 651
—Mechanisms of rupture in splitting tests (96-M8) Rocco, C., Guinea, G. V., Planas, J., and Elices, M., Jan.-Feb. 1999 52
—Modeling concrete shrinkage under variable ambient conditions (96-M5) Torrenti, J. M., Granger, L., Diruy, M., and Genin, P., Jan.-Feb. 1999 35
—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Otuski, N., Hisada, M., Otani, T., and Maruyama, T., Nov.-Dec. 1999 627
Conductive concrete overlay for bridge deck deicing (96-M48) Yehia, S. and Tuan, C. Y., May-June 1999 382
Conductivity
—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Zhao, T.-J., Zhu, J.-Q., and Chi, P.-Y., Jan.-Feb. 1999 84
Corrosion
—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mohammed, T. U., Otsuki, N., and Hisada, M., Mar.-Apr. 1999 154
—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Peterman, R. J., Ramirez, J. A., and Poston, R. W., Jan.-Feb. 1999 11
—Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Gowers, K. R., and Millard, S. G., Sept.-Oct. 1999 53
—Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Luciano, J., and Miltenberger, M., Nov.-Dec. 1999 698
—Specification of concrete for marine environments—A fresh approach (96-M58) Baweja, D., Roper, H., and Sirivivatnanon, V., July-Aug. 1999 462
Corrosion of steel bars with respect to orientation in concrete (96-M19) Mohammed, T. U., Otsuki, N., and Hisada, M., Mar.-Apr. 1999 154
Cracking
—Effect of shrinkage and load-induced cracking on water permeability of concrete (96-M30) Hearn, N., Mar.-Apr. 1999 234
—Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Tawfiq, K., Armaghani, J., and Ruiz, R., Mar.-Apr. 1999 . . 226
—Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mohammed, A. R., and Hansen, W., Mar.-Apr. 1999 196
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) Hansen, E. J., and Saouma, V. E., May-June 1999 331
—Stress relaxation phenomena at early technological phases of gas-concrete (96-M54) Lapsa, V. A., July-Aug. 1999 436
—True fracture energy of concrete (96-M28) Navalurkar, R. K., Hsu, C.-T. T., Kim, S. K., and Wecharatana, M., Mar.-Apr. 1999 . . 213
—Water permeability and autogenous healing of cracks in concrete (96-M56) Edvardsen, C., July-Aug. 1999 448

Cracking behavior of steel fiber-reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) Van Hauwaert, A., Delannay, F., and Thimus, J.-F., May-June 1999 291
Creep properties
—Long-term behavior of aramid fiber reinforced plastic (AFRP) tendons (96-M37) Saadatmanesh, H., and Tannous, F. E., May-June 1999 297
—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Rahman, M. K., Baluch, M. H., and Al-Gadhib, A. H., Sept.-Oct. 1999 542
Crushed bricks as coarse aggregate for concrete (96-M60) Mansur, M. A., Wee, T. H., and Cheran, L. S., July-Aug. 1999 478
Curing
—Prediction of cement degree of hydration using artificial neural networks (96-M21) Basma, A. A., Barakat, S. A., and Al-Oraimi, S., Mar.-Apr. 1999 167
Cyclic loads
—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Tasdemir, C., Tasdemir, M. A., Mills, N., Barr, B. I. G., and Lydon, F. D., Jan.-Feb. 1999 74
—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Campione, G., Mindess, S., and Zingone, G., Jan.-Feb. 1999 2

D

Dams
—Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) Lo, K. Y., and Hefny, A. M., May-June 1999 339
Dancygier, A. N.—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Jan.-Feb. 1999 116
Deicers
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Li, S. E., Frantz, G. C., and Stephens, J. E., Nov.-Dec. 1999 692
—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) Marchand, J., Pigeon, M., Bager, D., and Talbot, C., July-Aug. 1999 429
Delannay, F.—Cracking behavior of steel fiber reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) May-June 1999 291
Demura, K.—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Jan.-Feb. 1999 90
Density
—Applications of statistical models for proportioning underwater concrete (96-M77) Khayat, K. H., Yahia, A., and Sonebi, M., Nov.-Dec. 1999 634
—Blended fly ash cements—A review (96-M78) Bouzoubaâ, N., Zhang, M.-H., Malhotra, V. M., and Golden, D. M., Nov.-Dec. 1999641
De Schutter, G.—Extension towards early age concrete of CEB-FIP model code 1990 stress-strain relation for short-term compressive loading (96-M14) Jan.-Feb. 1999 95
Deterioration
—Numerical simulation of reinforced concrete deterioration—Part I: Chloride diffusion (96-M22) Hansen, E. J., and Saouma, V. E., Mar.-Apr. 1999 173
Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Tang, T., Yang, S., and Zollinger, D. G., Jan.-Feb. 1999 3
Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Lin, Y., Liou, T., and Tsai, W.-H., Mar.-Apr. 1999 190
Detwiler, R. J.—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Nov.-Dec. 1999. 670
Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Lim, Y. M., Wu, H.-C., and Li, V. C., Jan.-Feb. 1999 20
Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Phoon, K. K., Wee, T. H., and Loi, C. S., Sept.-Oct. 1999. 568
Diawara, H.—Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Sept.-Oct. 1999 559
Diffusion
—Comparison between diffusion test and electrochemical acceleration test for leaching degradation of cement hydration products (96-M27) Saito, H., and Nakane, S., Mar.-Apr. 1999 208
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) Hansen, E. J., and Saouma, V. E., May-June 1999 331
—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Otuski, N., Hisada, M., Otani, T., and Maruyama, T., Nov.-Dec. 1999 627
Diruy, M.—Modeling concrete shrinkage under variable ambient conditions (96-M5) Jan.-Feb. 1999. 35
Dry shrinkage
—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Lim, Y. M., Wu, H.-C., and Li, V. C., Jan.-Feb. 1999 20
—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Rahman, M. K., Baluch, M. H., and Al-Gadhib, A. H., Sept.-Oct. 1999 542
Dubey, A.—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part 1: Assessment and calibration (96-M79) Nov.-Dec. 1999 651
Ductility
—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Campione, G., Mindess, S., and Zingone, G., Jan.-Feb. 1999 2
—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Bažant, Z. P., Kim, J. J. H., and Brocca, M., Sept.-Oct. 1999 580
—Harmonized test proceedures for steel fiber-reinforced concrete (96-M83) Marti, P., Pfyl, T., Sigrist, V., and Ulaga, T., Nov.-Dec. 1999. 676
Duffy, P.—High-performance cement grout for post-tensioning applications (96-M59) July-Aug. 1999. 471
Durability
—Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Ghafoori, N., and Diawara, H., Sept.-Oct. 1999 559
—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Peterman, R. J., Ramirez, J. A., and Poston, R. W., Jan.-Feb. 1999 11
—Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Toutanji, H. A., and Balaguru, P., Sept.-Oct. 1999 605
—High-early-strength concrete—Mixture proportioning with processed cellulose fibers for durability (96-M73) Soroushian, P., and Ravanbakhsh, S., Sept.-Oct. 1999 593
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) Geissert, D. G., Li, S. E., Frantz, G. C., and Stephens, J. E., May-June 1999 359
Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Peterman, R. J., Ramirez, J. A., and Poston, R. W., Jan.-Feb. 1999 11

E

Edvardsen, C.—Water permeability and autogenous healing of cracks in concrete (96-M56) July-Aug. 1999 448
Effect of admixtures on thermal and thermomechanical behavior of cement paste (96-M57) Fu, X., and Chung, D. D. L., July-Aug. 1999 455
Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) Ahmed, T., Burley, E., and Rigden, S., July-Aug. 1999 . . . 419
Effect of curing condition on strength and elastic modulus of lightweight high-strength concrete (96-M61) Khaloo, A. R., and Kim, N., July-Aug. 1999 485
Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Ariño, A. M., and Mobasher, B., Jan.-Feb. 1999 68
Effect of shrinkage and load-induced cracking on water permeability of concrete (96-M30) Hearn, N., Mar.-Apr. 1999. 234
Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sonebi, M., and Khayat, K. H., Sept.-Oct. 1999 519
Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Toutanji, H. A., and Balaguru, P., Sept.-Oct. 1999 605

Effects of pollution from Kuwait oil well fires on concrete properties (96-M16) Al-Khaiat, H., Jan.-Feb. 1999 109
Effects of polysaccharide gum additives on shotcrete process (95-M15)
—Ghio, V. A., and Monteiro, P. J. M., Mar.-Apr. 1998 152
—Disc. by Warner, J., Mar.-Apr. 1999 271
Elices, M.—Mechanisms of rupture in splitting tests (96-M8) Jan.-Feb. 1999 52
El-Sayad, H.—Permeability and pore volume of carbonated concrete (96-M47) May-June 1999 378
Energy
—Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686
Engelund, S.—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Mar.-Apr. 1999 160
Environments
—Relaxation, creep, and fatigue behavior of carbon fiber reinforced plastic tendons (96-M18) Saadatmanesh, H., and Tannous, F. E., Mar.-Apr. 1999 143
Errors
—Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Lin, Y., Liou, T., and Tsai, W.-H., Mar.-Apr. 1999 190
Eshel, Y.—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Mar.-Apr. 1999 250
Evaluation
—Variation of in-place concrete strength in structures (96-M34) Bartlett, F. M., and MacGregor, J. G., Mar.-Apr. 1999 261
Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Engelund, S., Sørensen, J. D., and Sørensen, B., Mar.-Apr. 1999 160
Expansion
—Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) Lo, K. Y., and Hefny, A. M., May-June 1999 339
Extension towards early age concrete of CEB-FIP model code 1990 stress-strain relation for short-term compressive loading (96-M14) De Schutter, G., Jan.-Feb. 1999 95

F

Failure mechanisms
—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Detwiler, R. J., Whiting, D. A., and Lagergren, E. S., Nov.-Dec. 1999 670
Fatigue
—Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Tawfiq, K., Armaghani, J., and Ruiz, R., Mar.-Apr. 1999 . . 226
—Long-term behavior of aramid fiber-reinforced plastic (AFRP) tendons (96-M37) Saadatmanesh, H., and Tannous, F. E., May-June 1999 297
Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Tawfiq, K., Armaghani, J., and Ruiz, R., Mar.-Apr. 1999 . . 226
Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Subramaniam, K. V., Popovics, J. S., and Shah, S. P., Nov.-Dec. 1999 663
Fiber-reinforced concrete
—Compressive behavior of slurry infiltrated mat concrete (96-M46) Krstulovic-Opara, N., and Al-Shannag, M. J., May-June 1999 367
—Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Tawfiq, K., Armaghani, J., and Ruiz, R., Mar.-Apr. 1999 226
—Harmonized test procedures for steel fiber-reinforced concrete (96-M83) Marti, P., Pfyl, T., Sigrist, V., and Ulaga, T., Nov.-Dec. 1999 676
Fibers
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part 1: Assessment and calibration (96-M79) Banthia, N., and Dubey, A., Nov.-Dec. 1999 651
Finite element(s)/method
—Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mohammed, A. R., and Hansen, W., Mar.-Apr. 1999 196
—Numerical simulation of reinforced concrete deterioration—Part I: Chloride diffusion (96-M22) Hansen, E. J., and Saouma, V. E., Mar.-Apr. 1999 173
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) Hansen, E. J., and Saouma, V. E., May-June 1999 331
Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Bažant, Z. P., Kim, J. J. H., and Brocca, M., Sept.-Oct. 1999 580
Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) Chan, S. Y. N., Peng, G.-F., and Anson, M., May-June 1999 405
Fire resistance
—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) Chan, S. Y. N., Peng, G.-F., and Anson, M., May-June 1999 405
Fly ash
—Blended fly ash cements—A review (96-M78) Bouzoubaâ, N., Zhang, M.-H., Malhotra, V. M., and Golden, D. M., Nov.-Dec. 1999 . 641
—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Zhang, M.-H., Bilodeau, A., Malhotra, V. M., Kim, K.-S., and Kim, J. C., Mar.-Apr. 1999 181
—Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Ariño, A. M., and Mobasher, B., an.-Feb. 1999 68
—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) Li, Z., Peng, J., and Ma, B., May-June 1999 391
—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Gu, P., Beaudoin, J. J., Zhang, M.-H., and Malhotra, V. M., Sept.-Oct. 1999 551
—Specification of concrete for marine environments—A fresh approach (96-M58) Baweja, D., Roper, H., and Sirivivatnanon, V., July-Aug. 1999 462
Foaming agents
—Stress relaxation phenomena at early technological phases of gas-concrete (96-M54) Lapsa, V. A., July-Aug. 1999 436
Fracture properties/fracturing
—Cracking behavior of steel fiber-reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) Van Hauwaert, A., Delannay, F., and Thimus, J.-F., May-June 1999 291
—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Tang, T., Yang, S., and Zollinger, D. G., Jan.-Feb. 1999 3
—True fracture energy of concrete (96-M28) Navalurkar, R. K., Hsu, C.-T. T., Kim, S. K., and Wecharatana, M., Mar.-Apr. 1999 . . 213
Frantz, G. C.
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Nov.-Dec. 1999 . . 692
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Mar.-Apr. 1999 242
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) May-June 1999 359
Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Li, S. E., Geissert, D. G., Frantz, G. C., and Stephens, J. E., Mar.-Apr. 1999 242
Freeze-thaw durability
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Li, S. E., Geissert, D. G., Frantz, G. C., and Stephens, J. E., Mar.-Apr. 1999 242
—High-performance cement grout for post-tensioning applications (96-M59) Khayat, K.H., Yahina, A., and Duffy, P., July-Aug. 1999 . . 471
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) Geissert, D. G., Li, S. E., Frantz, G. C., and Stephens, J. E., May-June 1999 359
Freezing
—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Li, Z., Mu, B, and Chui, S. N. C., Sept.-Oct. 1999 574
Fu, X.—Effect of admixtures on thermal and thermomechanical behavior of cement paste (96-M57) July-Aug. 1999 455

G

Geissert, D. G.
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Mar.-Apr. 1999 242
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) May-June 1999 359
Genin, P.—Modeling concrete shrinkage under variable ambient conditions (96-M5) Jan.-Feb. 1999 35

Ghafoori, N.—Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Sept.-Oct. 1999 559
Glass fibers
—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) Saafi, M., Toutanji, H. A., and Li, Z., July-Aug. 1999 500
Goble, C. F.—Influence of aggregate surface area on mechanical properties of mortar (96-M80) Nov.-Dec. 1999 657
Golden, D. M.—Blended fly ash cements—A review (96-M78) Nov.-Dec. 1999 641
Goñi, S.—Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Jan.-Feb. 1999 40
Gowers, K. R.—Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Sept.-Oct. 1999 53
Granger, L.—Modeling concrete shrinkage under variable ambient conditions (96-M5) Jan.-Feb. 1999 35
Granite
—Mechanisms of rupture in splitting tests (96-M8) Rocco, C., Guinea, G. V., Planas, J., and Elices, M., Jan.-Feb. 1999 52
Grof, Y.—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Mar.-Apr. 1999 250
Gu, P.—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Sept.-Oct. 1999 551
Guinea, G. V.—Mechanisms of rupture in splitting tests (96-M8) Jan.-Feb. 1999 52

H

Hansen, E. J.
—Numerical simulation of reinforced concrete deterioration—Part 1: Chloride diffusion (96-M22) Mar.-Apr. 1999 173
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) May-June 1999 331
Hansen, W.
—Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mar.-Apr. 1999 196
—Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) May-June 1999 354
Harmonized test proceedures for steel fiber-reinforced concrete (96-M83) Marti, P., Pfyl, T., Sigrist, V., and Ulaga, T., Nov.-Dec. 1999 676
Hearn, N.—Effect of shrinkage and load-induced cracking on water permeability of concrete (96-M30) Mar.-Apr. 1999 234
Heat transfer
—Conductive concrete overlay for bridge deck deicing (96-M48) Yehia, S., and Tuan, C. Y., May-June 1999 382
—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Zhang, C., Wang, A., Tang, M., and Zhang, N., Mar.-Apr. 1999 204
Hefny, A. M.—Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) May-June 1999 339
High-early-strength concrete—Mixture proportioning with processed cellulose fibers for durability (96-M73) Soroushian, P., and Ravanbakhsh, S., Sept.-Oct. 1999 593
High-performance cement grout for post-tensioning applications (96-M59) Khayat, K. H., Yahina, A., and Duffy, P., July-Aug. 1999. . . 471
High-performance concrete
—Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96M-7) Schneider, U., and Chen, S.-W., Jan.-Feb. 1999 47
—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) Chan, S. Y. N., Peng, G.-F., and Anson, M., May-June 1999 405
—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Zhao, T.-J., Zhu, J.-Q., and Chi, P.-Y., Jan.-Feb. 1999 84
—Workability, testing, and performance of self-consolidating concrete (96-M43) Khayat, K. H., May-June 1999 346
High-strength concrete
—Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96M-7) Schneider, U., and Chen, S.-W., Jan.-Feb. 1999 47
—True fracture energy of concrete (96-M28) Navalurkar, R. K., Hsu, C.-T. T., Kim, S. K., and Wecharatana, M., Mar.-Apr. 1999 . . 213
Hisada, M.
—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mar.-Apr. 1999 154
—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Nov.-Dec. 1999 627
Hover, K. C.
—Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686
—Superplacsticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Sept.-Oct. 1999 600
Hsu, C.-T. T.—True fracture energy of concrete (96-M28) Mar.-Apr. 1999 213
Hydration
—Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686
—Comparison between diffusion test and electrochemical acceleration test for leaching degradation of cement hydration products (96-M27) Saito, H., and Nakane, S., Mar.-Apr. 1999 208
—Studies on hydration in high-volume fly ash concrete binders (96-M87) Jiang, L., Lin, B., and Cai, Y., Nov.-Dec. 1999. 703
—Superplasticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Pinto, R. C. A., and Hover, K. C., Sept.-Oct. 1999 . . 600

I

Ice formation
—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) Marchand, J., Pigeon, M., Bager, D., and Talbot, C., July-Aug. 1999 429
Impact
—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Dancygier, A. N., Yankelevsky, D. Z., and Baum, H., Jan.-Feb. 1999 116
Impact strength
—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Li, Z., Mu, B, and Chui, S. N. C., Sept.-Oct. 1999. 574
Influence of aggregate on compressive strength of normal and high-strength concrete (94-M49)
—de Larrard, F., and Belloc, A., Sept.-Oct. 1997 417
—Disc. by Saileswaran, N., Jan.-Feb. 1999. 131
Influence of aggregate surface area on mechanical properties of mortar (96-M80) Goble, C. F., and Cohen, M. D., Nov.-Dec. 1999. . 657
Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) Marchand, J., Pigeon, M., Bager, D., and Talbot, C., July-Aug. 1999 429
Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Zhang, C., Wang, A., Tang, M., and Zhang, N., Mar.-Apr. 1999 204
Influence of fly ash on setting and hardening characteristics of concrete systems (94-M42)
—Tarun, R. N., and Singh, S. S., Sept.-Oct. 1997 355
—Disc. by Haynes, H., Mar.-Apr. 1999. 271
Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) Li, Z., Peng, J., and Ma, B., May-June 1999 391

J

Jiang, L.—Studies on hydration in high-volume fly ash concrete binders (96-M87) Nov.-Dec. 1999 703

K

Khaloo, A. R.—Effect of curing condition on strength and elastic modulus of lightweight high-strength concrete (96-M61) July-Aug. 1999 485
Khayat, K. H.
—Applications of statistical models for proportioning underwater concrete (96-M77) Nov.-Dec. 1999 634
—Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sept.-Oct. 1999 519

—High-performance cement grout for post-tensioning applications (96-M59) July-Aug. 1999 471
—Workability, testing, and performance of self-consolidating concrete (96-M43) May-June 1999 346
Kim, J. C.—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Mar.-Apr. 1999 181
Kim, J. J. H.—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Sept.-Oct. 1999 . . 580
Kim, J.-T.—Application of neural networks for proportioning of concrete mixes (96-M9) Jan.-Feb. 1999 61
Kim, K.-S.—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Mar.-Apr. 1999 181
Kim, N.—Effect of curing condition on strength and elastic modulus of lightweight high-strength concrete (96-M61) July-Aug. 1999 485
Kim, S. K.—True fracture energy of concrete (96-M28) Mar.-Apr. 1999 213
Kinematics of dry-mix shotcrete (96-M35) Armelin, H. S., Banthia, N., and Mindess, S., May-June 1999 283
Krstulovic-Opara, N.—Compressive behavior of slurry infiltrated mat concrete (96-M46) May-June 1999 367
Kumbargi, H.—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Sept.-Oct. 1999 529

L

Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Whiting, D., and Nagi, M., Jan.-Feb. 1999 101
Lagergren, E. S.—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Nov.-Dec. 1999. . . . 670
Lapsa, V. A.—Stress relaxation phenomena at early technological phases of gas-concrete (96-M54) July-Aug. 1999 436
Leaching
—Comparison between diffusion test and electrochemical acceleration test for leaching degradation of cement hydration products (96-M27) Saito, H., and Nakane, S., Mar.-Apr. 1999 208
Lee, G.-W.—Application of neural networks for proportioning of concrete mixes (96-M9) Jan.-Feb. 1999 61
Lee, I.-W.—Application of neural networks for proportioning of concrete mixes (96-M9) Jan.-Feb. 1999 61
Li, S. E.
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Nov.-Dec. 1999 . . 692
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Mar.-Apr. 1999 242
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-m45) May-June 1999 359
Li, V. C.—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Jan.-Feb. 1999 20
Li, Z.
—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) July-Aug. 1999 500
—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) May-June 1999 391
—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Sept.-Oct. 1999. 574
Lightweight concrete with bottom ash—Radiological aspects (96-M32) Nisnevich, M., Schlesinger, T., Eshel, Y., and Grof, Y., Mar.-Apr. 1999 250
Lightweight concretes
—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Nisnevich, M., Schlesinger, T., Eshel, Y., and Grof, Y., Mar.-Apr. 1999 250
Lim, Y. M.—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Jan.-Feb. 1999 20
Limestone aggregates
—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Tasdemir, C., Tasdemir, M. A., Mills, N., Barr, B. I. G., and Lydon, F. D., Jan.-Feb. 1999 74
Lin, B.—Studies on hydration in high-volume fly ash concrete binders (96-M87) Nov.-Dec. 1999 703
Lin, Y.—Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Mar.-Apr. 1999 190
Liou, T.—Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Mar.-Apr. 1999 190
Lo, K. Y.—Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) Lo, K. Y., and Hefny, A. M., May-June 1999 339
Loads
—Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mohammed, A. R., and Hansen, W., Mar.-Apr. 1999 196
Loi, C. S.—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Sept.-Oct. 1999 568
Long-term behavior of aramid fiber reinforced plastic (AFRP) tendons (96-M37) Saadatmanesh, H., and Tannous, F. E., May-June 1999 297
Luciano, J.—Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Nov.-Dec. 1999 698
Lydon, F. D.—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Jan.-Feb. 1999 74

M

Ma, B.—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) May-June 1999 391
MacGregor, J. G.—Variation of in-place concrete strength in structures (96-M34) Mar.-Apr. 1999 261
Macias, A.—Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Jan.-Feb. 1999. 40
Maintenance
—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Engelund, S., Sørensen, J. D., and Sørensen, B., Mar.-Apr. 1999 160
Malak, S. A. J.—Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) May-June 1999 . . . 320
Malhotra, V. M.
—Blended fly ash cements—A review (96-M78) Nov.-Dec. 1999. . . . 641
—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Mar.-Apr. 1999 181
—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Sept.-Oct. 1999 551
Mansur, M. A.—Crushed bricks as coarse aggregate for concrete (96-M60) July-Aug. 1999 478
Marchand, J.—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) July-Aug. 1999 429
Marine atmospheres
—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) Baweja, D., Roper, H., and Sirivivatnanon, V., May-June 1999 306
—Specification of concrete for marine environments—A fresh approach (96-M58) Baweja, D., Roper, H., and Sirivivatnanon, V., July-Aug. 1999 462
Marti, P.—Harmonized test procedures for steel fiber-reinforced concrete (96-M83) Nov.-Dec. 1999 676
Maruyama, T.—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Nov.-Dec. 1999. 627
Measurement
—Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Lin, Y, Liou, T., and Tsai, W.-H., Mar.-Apr. 1999 190
Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Gowers, K. R., and Millard, S. G., Sept.-Oct. 1999 536
Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part 1: Assessment and calibration (96-M79) Banthia, N., and Dubey, A., Nov.-Dec. 1999. 651
Measurements of residual expansion rates resulting from alkali-aggregate reaction in existing concrete dams (96-M42) Lo, K. Y., and Hefny, A. M., May-June 1999 339
Mechanisms of rupture in splitting tests (96-M8) Rocco, C., Guinea, G. V., Planas, J., and Elices, M., Jan.-Feb. 1999 52
Mesureur, B.—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) July-Aug. 1999 491

Metal fibers
—Compressive behavior of slurry infiltrated mat concrete (96-M46) Krstulovic-Opara, N., and Al-Shannag, M. J., May-June 1999 367
Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mohammed, A. R., and Hansen, W., Mar.-Apr. 1999 196
Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) Mohamed, A. F., and Hansen, W., May-June 1999 . . 354
Microstructure
—Changes in concrete pore size distribution due to electro-chemical chloride migration trials (96-M39) Castellote, M., Andrade, C., and Alonso, M. C., May-June 1999. 314
—Studies on hydration in high-volume fly ash concrete binders (96-M87) Jiang, L., Lin, B., and Cai, Y., Nov.-Dec. 1999 703
Millard, S. G.—Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Sept.-Oct. 1999 53
Mills, N.—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Jan.-Feb. 1999 74
Miltenberger, M.—Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Nov.-Dec. 1999. 698
Mindess, S.
—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Jan.-Feb. 1999 2
—Kinematics of dry-mix shotcrete (96-M35) May-June 1999 283
Mixture proportioning
—Application of neural networks for proportioning of concrete mixes (96-M9) Oh, J.-W., Lee, I.-W., Kim, J.-T., and Lee, G.-W., Jan.-Feb. 1999 61
—High-early-strength concrete—Mixture proportioning with processed cellulose fibers for durability (96-M73) Soroushian, P., and Ravanbakhsh, S., Sept.-Oct. 1999 593
Mobasher, B.—Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Jan.-Feb. 1999 68
Modeling concrete shrinkage under variable ambient conditions (96-M5) Torrenti, J. M., Granger, L., Diruy, M., and Genin, P., Jan.-Feb. 1999 35
Modeling of shrinkage and creep stresses in concrete repair (96-M67) Rahman, M. K., Baluch, M. H., and Al-Gadhib, A. H., Sept.-Oct. 1999 542
Modeling time-to-corrosion cracking in chloride contaminated reinforced concrete structures (95-M65)
—Liu, Y., and Weyers, R. E. V. 95, Nov.-Dec. 1998 675
—Disc. by Hime, W. G., and Backus, L. A., Sept.-Oct. 1999 611
—Disc. by Li, C. Q., Sept.-Oct. 1999. 611
Models/modeling
—Extension towards early age concrete of CEB-FIP model code 1990 stress-strain relation for short-term compressive loading (96-M14) De Schutter, G., Jan.-Feb. 1999 95
—Prediction of cement degree of hydration using artificial neural networks (96-M21) Basma, A. A., Barakat, S. A., and Al-Oraimi, S., Mar.-Apr. 1999 167
Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Zhao, T.-J., Zhu, J.-Q., and Chi, P.-Y., Jan.-Feb. 1999 84
Modulus of elasticity
—Effect of curing condition on strength and elastic modulus of lightweight high-strength concrete (96-M61) Khaloo, A. R., and Kim, N., July-Aug. 1999. 485
—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Al-Manaseer, A. A., Aquino, E. B., and Kumbargi, H., Sept.-Oct. 1999 529
Modulus of rupture
—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Lim, Y. M., Wu, H.-C., and Li, V. C., Jan.-Feb. 1999. 20
Mohamed, A. R.
—Micromechanical modeling of concrete response under static loading—Part 1: Model development and validation (96-M25) Mar.-Apr. 1999 196
—Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) May-June 1999 354
Mohammed, T. U.—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mar.-Apr. 1999 154
Mortars
—Blended fly ash cements—A review (96-M78) Bouzoubaâ, N., Zhang, M.-H., Malhotra, V. M., and Golden, D. M., Nov.-Dec. 1999 . . 641
—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Zhang, C., Wang, A., Tang, M., and Zhang, N., Mar.-Apr. 1999. 204
—Mechanisms of rupture in splitting tests (96-M8) Rocco, C., Guinea, G. V., Planas, J., and Elices, M., Jan.-Feb. 1999 52
Mu, B.—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Sept.-Oct. 1999 . . . 574

N

Nagi, M.—Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Jan.-Feb. 1999 101
Nakane, S.—Comparison between diffusion test and electrochemical acceleration test for leaching degradation of cement hydration products (96-M27) Mar.-Apr. 1999 208
Navalurkar, R. K.—True fracture energy of concrete (96-M28) Mar.-Apr. 1999 213
Neural network
—Application of neural networks for proportioning of concrete mixes (96-M9) Oh, J.-W., Lee, I.-W., Kim, J.-T., and Lee, G.-W., Jan.-Feb. 1999. 61
New rheometer for soft-to-fluid fresh concrete (94-M27)
—de Larrard, F., Hu, C., Sedran, T., Szitkar, J. C., Joly, M., Claux, F., and Derkx, F., V. 94, May-June 1997 234
—Disc. by Banfill, P. F. G., Jan.-Feb. 1999. 126
Nisnevich, M.—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Mar.-Apr. 1999 250
Nondestructive tests—Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) Al-Manaseer, A. A., and Aquino, E. B., July-Aug. 1999 440
Numerical simulation of reinforced concrete deterioration: Part I— Chloride diffusion (96-M22) Hansen, E. J., and Saouma, V. E., Mar.-Apr. 1999 173
Numerical simulation of reinforced concrete deterioration: Part II—Steel corrosion and concrete cracking (96-M41) Hansen, E. J., and Saouma, V. E., May-June 1999. 331

O

Oh, J.-W.—Application of neural networks for proportioning of concrete mixes (96-M9) Jan.-Feb. 1999. 61
Ohama, Y.—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Jan.-Feb. 1999 90
Oluokun, A. F.—Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) May-June 1999. . . 320
Otani, T.—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Nov.-Dec. 1999 627
Otsuki, N.
—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mar.-Apr. 1999. 154
—Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Nov.-Dec. 1999. 627

P

Patching
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Li, S. E., Frantz, G. C., and Stephens, J. E., Nov.-Dec. 1999. 692
Peng, G.-F.—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) May-June 1999 405
Peng, J.—Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) May-June 1999 391
Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Gu, P., Beaudoin, J. J., Zhang, M.-H., and Malhotra, V. M., Sept.-Oct. 1999 551
Permeability
—Effect of shrinkage and load-induced cracking on water permeability of concrete (96-M30) Hearn, N., Mar.-Apr. 1999 234

—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Zhao, T.-J., Zhu, J.-Q., and Chi, P.-Y., Jan.-Feb. 1999 84
—Permeability and pore volume of carbonated concrete (96-M47) Claisse, P. A., El-Sayad, H., and Shaaban, I. G., May-June 1999 ... 378
Permeability and pore volume of carbonated concrete (96-M47) Claisse, P. A., El-Sayad, H., and Shaaban, I. G., May-June 1999 378
Peterman, R. J.—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Peterman, R. J., Ramirez, J. A., and Poston, R. W., Jan.-Feb. 1999 11
Pfyl, T.—Harmonized test procedures for steel fiber-reinforced concrete (96-M83) Nov.-Dec. 1999 676
Phoon, K. K.—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Sept.-Oct. 1999 568
Pigeon, M.—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) July-Aug. 1999 429
Pinto, R. C. A.
—Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686
—Superplasticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Sept.-Oct. 1999 600
Planas, J.—Mechanisms of rupture in splitting tests (96-M8) Jan.-Feb. 1999 52
Plaster
—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Dancygier, A. N., Yankelevsky, D. Z., and Baum, H., Jan.-Feb. 1999 116
Plastics
—Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Toutanji, H. A., and Balaguru, P., Sept.-Oct. 1999 605
—Long-term behavior of aramid fiber reinforced plastic (AFRP) tendons (96-M37) Saadatmanesh, H., and Tannous, F. E., May-June 1999 297
Popovics, J. S.—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Nov.-Dec. 1999 .. 663
Porosity
—Changes in concrete pore size distribution due to electrochemical chloride migration trials (96-M39) Castellote, M., Andrade, C., and Alonso, M. C., May-June 1999 314
—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) Marchand, J., Pigeon, M., Bager, D., and Talbot, C., July-Aug. 1999 429
—Permeability and pore volume of carbonated concrete (96-M47) Claisse, P. A., El-Sayad, H., and Shaaban, I. G., May-June 1999 ... 378
Poston, R. W.—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Jan.-Feb. 1999 11
Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Luciano, J., and Miltenberger, M., Nov.-Dec. 1999 698
Prediction of cement degree of hydration using artificial neural networks (96-M21) Basma, A. A., Barakat, S. A., and Al-Oraimi, S., Mar.-Apr. 1999 167
Prestressed concrete
—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Peterman, R. J., Ramirez, J. A., and Poston, R. W., Jan.-Feb. 1999 11
Prestressed steel
—Relaxation, creep, and fatigue behavior of carbon fiber reinforced plastic tendons (96-M18) Saadatmanesh, H., and Tannous, F. E., Mar.-Apr. 1999 143
Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Choi, S., and Shah, S. P.,Mar.-Apr. 1999 255
Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Al-Manaseer, A. A., Aquino, E. B., and Kumbargi, H., Sept.-Oct. 1999 529

Q

Quality assurance
—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Phoon, K. K., Wee, T. H., and Loi, C. S., Sept.-Oct. 1999 568

R

Radioactivity
—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Nisnevich, M., Schlesinger, T., Eshel, Y., and Grof, Y., Mar.-Apr. 1999 250
Rahman, M. K.—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Sept.-Oct. 1999 542
Ramirez, J. A.—Durability assessment of bridges with full-span prestressed concrete form panels (96-M2) Jan.-Feb. 1999 11
Ravanbakhsh, S.—High-early-strength concrete—Mixture proportioning with processed cellulose fibers for durability (96-M73) Sept.-Oct. 1999 593
Reinforced concrete
—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Dancygier, A. N., Yankelevsky, D. Z., and Baum, H., Jan.-Feb. 1999 116
Reinforcement
—Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Gowers, K. R., and Millard, S. G., Sept.-Oct. 1999 536
Reinforcing steels/bars
—Conductive concrete overlay for bridge deck deicing (96-M48) Yehia, S. and Tuan, C. Y., May-June 1999 382
—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mohammed, T. U., Otsuki, N., and Hisada, M., Mar.-Apr. 1999 154
—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Gu, P., Beaudoin, J. J., Zhang, M.-H., and Malhotra, V. M., Sept.-Oct. 1999 551
—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Bhutta, M. A. R., Ohama, Y., and Demura, K., Jan.-Feb. 1999 90
Relaxation, creep, and fatigue behavior of carbon fiber-reinforced plastic tendons (96-M18) Saadatmanesh, H., and Tannous, F. E., Mar.-Apr. 1999 143
Repairs
—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Engelund, S., Sørensen, J. D., and Sørensen, B., Mar.-Apr. 1999 160
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Li, S. E., Geissert, D. G., Frantz, G. C., and Stephens, J. E., Mar.-Apr. 1999 242
—Modeling of shrinkage and creep stresses in concrete repair (96-M67) Rahman, M. K., Baluch, M. H., and Al-Gadhib, A. H., Sept.-Oct. 1999 542
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) Geissert, D. G., Li, S. E., Frantz, G. C., and Stephens, J. E., May-June 1999 359
Residual stress
—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Lim, Y. M., Wu, H.-C., and Li, V. C., Jan.-Feb. 1999 20
Review of strain rate effects for concrete in tension (95-M73)
—Malvar, L. J., and Ross, C. A., V. 95, Nov.-Dec. 1998 735
—Disc. by Toutlemonde, F., and Rossi, P., Sept.-Oct. 1999 614
Rigdon, S.—Effect of alkali-silica reaction on tensile bond strength of reinforcement in concrete tested under static and fatigue loading (96-M52) July-Aug. 1999 419
Rivillon, P.—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) July-Aug. 1999 491
Rocco, C.—Mechanisms of rupture in splitting tests (96-M8) Jan.-Feb. 1999 52
Roper, H.
—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) May-June 1999 306
—Specification of concrete for marine environments—A fresh approach (96-M58) July-Aug. 1999 462
Ruiz, R.—Fatigue cracking of polypropylene fiber reinforced concrete (96-M29) Mar.-Apr. 1999 226

S

Saadatmanesh, H.
—Long-term behavior of aramid fiber-reinforced plastic (AFRP) tendons (96-M37) May-June 1999 297

—Relaxation, creep, and fatigue behavior of carbon fiber-reinforced plastic tendons (96-M18) Mar.-Apr. 1999 143
Saafi, M.—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) July-Aug. 1999 500
Saito, H.—Comparison between diffusion test and electro-chemical acceleration test for leaching degradation of cement hydration products (96-M27) Mar.-Apr. 1999 208
Saouma, V. E.
—Numerical simulation of reinforced concrete deterioration—Part I: Chloride diffusion (96-M22) Mar.-Apr. 1999 173
—Numerical simulation of reinforced concrete deterioration—Part II: Steel corrosion and concrete cracking (96-M41) May-June 1999 331
Schlesinger, T.—Lightweight concrete with bottom ash—Radiological aspects (96-M32) Mar.-Apr. 1999 250
Schneider, U.—Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96M-7) Jan.-Feb. 1999 . . 47
Setting (hardening)
—Application of maturity approach to setting times (96-M84) Pinto, R. C. A., and Hover, K. C., Nov.-Dec. 1999 686
Shaaban, I. G.—Permeability and pore volume of carbonated concrete (96-M47) May-June 1999 378
Shah, S. P.
—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Nov.-Dec. 1999 663
—Propagation of microcracks in concrete studied with subregion scanning computer vision (SSCV) (96-M33) Mar.-Apr. 1999 255
Shear properties
—Micromechanical modeling of concrete response under static loading—Part II: Model predictions for shear and compressive loading (96-M44) Mohamed, A. F., and Hansen, W., May-June 1999 . . 354
Shotcrete
—Harmonized test proceedures for steel fiber-reinforced concrete (96-M83) Marti, P., Pfyl, T., Sigrist, V., and Ulaga, T., Nov.-Dec. 1999 676
—Kinematics of dry-mix shotcrete (96-M35) Armelin, H. S., Banthia, N., and Mindess, S., May-June 1999 283
Shrinkage
—Modeling concrete shrinkage under variable ambient conditions (96-M5) Torrenti, J. M., Granger, L., Diruy, M., and Genin, P., Jan.-Feb. 1999 35
Sigrist, V.—Harmonized test proceedures for steel fiber-reinforced concrete (96-M83) Nov.-Dec. 1999 676
Silica fume
—Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Ghafoori, N., and Diawara, H., Sept.-Oct. 1999 559
—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Tasdemir, C., Tasdemir, M. A., Mills, N., Barr, B. I. G., and Lydon, F. D., Jan.-Feb. 1999 74
—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Zhang, M.-H., Bilodeau, A., Malhotra, V. M., Kim, K.-S., and Kim, J. C., Mar.-Apr. 1999 181
—Fire behavior of high-performance concrete made with silica fume at various moisture contents (96-M51) Chan, S. Y. N., Peng, G.-F., and Anson, M., May-June 1999 405
—Influence of aggregate surface area on mechanical properties of mortar (96-M80) Goble, C. F., and Cohen, M. D., Nov.-Dec. 1999 . . . 657
—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Detwiler, R. J., Whiting, D. A., and Lagergren, E. S., Nov.-Dec. 1999 670
—Superplacsticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Pinto, R. C. A., and Hover, K. C., Sept.-Oct. 1999 . . 600
Sirivivatnanon, V.
—Chloride-induced steel corrosion in concrete: Part 2—Gravimetric and electrochemical comparisons (96-M38) May-June 1999 306
—Specification of concrete for marine environments—A fresh approach (96-M58) July-Aug. 1999 462
Slag cements
—Effect of ground copper slag on strength and toughness of cementitious mixes (96-M10) Ariño, A. M., and Mobasher, B., Jan.-Feb. 1999 68
Slurries
—Compressive behavior of slurry infiltrated mat concrete (96-M46) Krstulovic-Opara, N., and Al-Shannag, M. J., May-June 1999 367
—Stress relaxation phenomena at early technological phases of gas-concrete (96-M54) Lapsa, V. A., July-Aug. 1999 436
Sonebi, M.
—Applications of statistical models for proportioning underwater concrete (96-M77) Nov.-Dec. 1999 634
—Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sept.-Oct. 1999 519
Sørensen, B.—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Mar.-Apr. 1999 160
Sørensen, J. D.—Evaluation of repair and maintenance strategies for concrete coastal bridges on a probabilistic basis (96-M20) Mar.-Apr. 1999 160
Soroushian, P.—High-early-strength concrete—Mixture proportioning with processed cellulose fibers for durability (96-M73) Sept.-Oct. 1999 593
Specification of concrete for marine environments—A fresh approach (96-M58) Baweja, D., Roper, H., and Sirivivatnanon, V., July-Aug. 1999 462
Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) Geissert, D. G., Li, S. E., Frantz, G. C., and Stephens, J. E., May-June 1999 359
Splitting tensile strength
—Effect of curing condition on strength and elastic modulus of lightweight high-strength concrete (96-M61) Khaloo, A. R., and Kim, N., July-Aug. 1999 485
—Properties of concrete containing ultimax rapid-setting hydraulic cement (96-M65) Al-Manaseer, A. A., Aquino, E. B., and Kumbargi, H., Sept.-Oct. 1999 529
Stability
—Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sonebi, M., and Khayat, K. H., Sept.-Oct. 1999 519
—High-performance cement grout for post-tensioning applications (96-M59) Khayat, K.H., Yahina, A., and Duffy, P., July-Aug. 1999 . . 471
Statistical analysis—Predicting chloride diffusion coefficients from concrete mixture proportions (96-M86) Luciano, J., and Miltenberger, M., Nov.-Dec. 1999 698
Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Detwiler, R. J., Whiting, D. A., and Lagergren, E. S., Nov.-Dec. 1999 670
Stephens, J. E.
—Bond performance of rapid-setting repair materials subjected to deicing salt and freezing-thawing cycles (96-M85) Nov.-Dec. 1999 . . 692
—Freeze-thaw bond durability of rapid-setting concrete repair materials (96-M31) Mar.-Apr. 1999 242
—Splitting prism test method to evaluate concrete-to-concrete bond strength (96-M45) May-June 1999 359
Strains
—Finite strain tube-squash test of concrete at high pressure and shear angles up to 70 degrees (96-M72) Bazant, Z. P., Kim, J. J. H., and Brocca, M., Sept.-Oct. 1999 580
—Influence of aggregate surface area on mechanical properties of mortar (96-M80) Goble, C. F., and Cohen, M. D., Nov.-Dec. 1999 . . 657
Strength
—Applications of statistical models for proportioning underwater concrete (96-M77) Khayat, K. H., Yahia, A., and Sonebi, M., Nov.-Dec. 1999 634
—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) Bernardi, S., Mesureur, B., and Rivillon, P., July-Aug. 1999 491
Stress relaxation phenomena at early technological phases of gas-concrete (96-M54) Lapsa, V. A., July-Aug. 1999 436
Stress-strain characteristics of concrete columns externally confined with advanced fiber composite sheets (96-M50) Toutanji, H. A., May-June 1999 397
Stress-strain relationship
—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) Saafi, M., Toutanji, H. A., and Li, Z., July-Aug. 1999 500
—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Campione, G., Mindess, S., Zingone, G., Jan.-Feb. 1999 2
—Crushed bricks as coarse aggregate for concrete (96-M60) Mansur, M. A., Wee, T. H., and Cheran, L. S., July-Aug. 1999 478
—Extension towards early age concrete of CEB-FIP model code 1990 stress-strain relation for short-term compressive loading (96-M14) De Schutter, G., Jan.-Feb. 1999 95
—Stress-strain characteristics of concrete columns externally confined with advanced fiber composite sheets (96-M50) Toutanji, H. A., May-June 1999 397

—Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) Oluokun, A. F., and Malak, S. A. J., May-June 1999 . . . 320
Stress corrosion
—Behavior of high-performance concrete under ammonium nitrate solution and sustained load (96M-7) Schneider, U., and Chen, S.-W., Jan.-Feb. 1999 . . . 47
Studies on hydration in high-volume fly ash concrete binders (96-M87) Jiang, L., Lin, B., and Cai, Y., Nov.-Dec. 1999 . . . 703
Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) Bernardi, S., Mesureur, B., and Rivillon, P., July-Aug. 1999 . . . 491
Subramaniam, K. V.—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Nov.-Dec. 1999 . . . 663
Sulfate
—Effects of pollution from Kuwait oil well fires on concrete properties (96-M16) Al-Khaiat, H., Jan.-Feb. 1999 . . . 109
Sulfate resistance of roller compacted concrete (95-M32)
—Ghafoori, N. and Zhang, Z., V. 95 Jul.-Aug. 1998 . . . 347
—Disc. by Cannon, R. W., May-June 1999 . . . 410
Superplasticizer
—Characterization of admixture as plasticizer or superplasticizer by deflocculation test (96-M6) Macias, A., and Goñi, S., Jan.-Feb. 1999 . . 40
Superplasticizer and silica fume addition effects on heat of hydration of mortar mixtures with low water-cementitious materials ratio (96-M74) Pinto, R. C. A., and Hover, K. C., Sept.-Oct. 1999 . . . 600
Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Li, Z., Mu, B, and Chui, S. N. C., Sept.-Oct. 1999 . . . 574

T

Talbot, C.—Influence of chloride solution concentration on deicer salt scaling deterioration of concrete (96-M53) July-Aug. 1999 . . . 429
Tang, M.—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Mar.-Apr. 1999 . . . 204
Tang, T.—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Jan.-Feb. 1999 . . . 3
Tannous, F. E.
—Long-term behavior of aramid fiber-reinforced plastic (AFRP) tendons (96-M37) May-June 1999 . . . 297
—Relaxation, creep, and fatigue behavior of carbon fiber-reinforced plastic tendons (96-M18) Mar.-Apr. 1999 . . . 143
Tasdemir, C.—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Jan.-Feb. 1999 . . . 74
Tasdemir, M. A.—Combined effects of silica fume, aggregate type, and size on postpeak response of concrete in bending (96-M11) Jan.-Feb. 1999 . . . 74
Tawfiq, K.—Fatigue cracking of polypropylene fiber-reinforced concrete (96-M29) Mar.-Apr. 1999 . . . 226
Tendons
—Long-term behavior of aramid fiber-reinforced plastic (AFRP) tendons (96-M37) Saadatmanesh, H., and Tannous, F. E., May-June 1999 . . . 297
Tensile strength
—Relaxation, creep, and fatigue behavior of carbon fiber-reinforced plastic tendons (96-M18) Saadatmanesh, H., and Tannous, F. E., Mar.-Apr. 1999 . . . 143
—Systematic study of properties of extrudates with incorporated metakaolin or silica fume (96M-71) Li, Z., Mu, B, and Chui, S. N. C., Sept.-Oct. 1999 . . . 574
Tests
—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Tang, T., Yang, S., and Zollinger, D. G., Jan.-Feb. 1999 . . . 3
—Measurement of concrete resistivity for assessment of corrosion severity of steel using Wenner technique (96-M66) Gowers, K. R., and Millard, S. G., Sept.-Oct. 1999 . . . 536
—Variation of in-place concrete strength in structures (96-M34) Bartlett, F. M., and MacGregor, J. G., Mar.-Apr. 1999 . . . 261
—Water permeability and autogenous healing of cracks in concrete (96-M56) Edvardsen, C., July-Aug. 1999 . . . 448
Theoretical evaluation of diffusion coefficient of chloride ion in mortar from mobility (96-M76) Otuski, N., Hisada, M., Otani, T., and Maruyama, T., Nov.-Dec. 1999 . . . 627
Thermal properties
—Effect of admixtures on thermal and thermomechanical behavior of cement paste (96-M57) Fu, X., and Chung, D. D. L., July-Aug. 1999 . . . 455
Thimus, J.-F.—Cracking behavior of steel fiber-reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) May-June 1999 . . . 291
Torrenti, J. M.—Modeling concrete shrinkage under variable ambient conditions (96-M5) Jan.-Feb. 1999 . . . 35
Toughness
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—Part I: Assessment and calibration (96-M79) Banthia, N., and Dubey, A., Nov.-Dec. 1999 . . . 651
—Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) Oluokun, A. F., and Malak, S. A. J., May-June 1999 . . . 320
Toughness, ductility, flexural, and compressive behavior of metallic aggregate concrete (96-M40) Oluokun, A. F., and Malak, S. A. J., May-June 1999 . . . 320
Toutanji, H. A.
—Behavior of concrete columns confined with fiber-reinforced polymer tubes (96-M63) July-Aug. 1999 . . . 500
—Effects of freeze-thaw exposure on performance of concrete columns strengthened with advanced composites (96-M75) Sept.-Oct. 1999 . . . 605
—Stress-strain characteristics of concrete columns externally confined with advanced fiber composite sheets (96-M50) May-June 1999 . . . 397
True fracture energy of concrete (96-M28) Navalurkar, R. K., Hsu, C.-T. T., Kim, S. K., and Wecharatana, M., Mar.-Apr. 1999 . . . 213
Tsai, W.-H.—Determining crack depth and measurement errors using time-of-flight diffraction techniques (96-M24) Mar.-Apr. 1999 . . 190
Tuan, C. Y.—Conductive concrete overlay for bridge deck deicing (96-M48) May-June 1999 . . . 382

U

Ulaga, T.—Harmonized test proceedures for steel fiber-reinforced concrete (96-M83) Nov.-Dec. 1999 . . . 676
Ultrasonic pulse
—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Phoon, K. K., Wee, T. H., and Loi, C. S., Sept.-Oct. 1999 . . . 568
Ultrasonic tests
—Cracking behavior of steel fiber reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) Van Hauwaert, A., Delannay, F., and Thimus, J.-F., May-June 1999 . . . 291
Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Bhutta, M. A. R., Ohama, Y., and Demura, K., Jan.-Feb. 1999 . . . 90
Underwater construction
—Underwater adhesion of polymethyl methacrylate concretes to reinforcing steel (reinforcing bars) (96-M13) Bhutta, M. A. R., Ohama, Y., and Demura, K., Jan.-Feb. 1999 . . . 90

V

Van Hauwaert, A.—Cracking behavior of steel fiber-reinforced concrete revealed by means of acoustic emission and ultrasonic wave propagation (96-M36) May-June 1999 . . . 291
Variation of in-place concrete strength in structures (96-M34) Bartlett, F. M., and MacGregor, J. G., Mar.-Apr. 1999 . . . 261
Velocity
—Kinematics of dry-mix shotcrete (96-M35) Armelin, H. S., Banthia, N., and Mindess, S., May-June 1999 . . . 283
Vibration
—Fatigue response of concrete subjected to biaxial stresses in the compression-tension region (96-M81) Subramaniam, K. V., Popovics, J. S., and Shah, S. P., Nov.-Dec. 1999 . . . 663
Viscosity
—Workability, testing, and performance of self-consolidating concrete (96-M43) Khayat, K. H., May-June 1999 . . . 346

W

Wang, A.—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Mar.-Apr. 1999 . . . 204

Water-cement ratio
—Corrosion of steel bars with respect to orientation in concrete (96-M19) Mohammed, T. U., Otsuki, N., and Hisada, M., Mar.-Apr. 1999 154
Water content
—Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Whiting, D., and Nagi, M., Jan.-Feb. 1999 101
Water permeability and autogenous healing of cracks in concrete (96-M56) Edvardsen, C., July-Aug. 1999 448
Wear—Abrasion resistance of fine aggregate replaced silica fume concrete (96-M69) Ghafoori, N., and Diawara, H., Sept.-Oct. 1999 . . 559
Wecharatana, M.—True fracture energy of concrete (96-M28) Mar.-Apr. 1999 213
Wee, T. H.
—Crushed bricks as coarse aggregate for concrete (96-M60) July-Aug. 1999 478
—Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70) Sept.-Oct. 1999. . . . 568
Whiting, D. A.
—Laboratory evaluation of nuclear gage for measurement of water and cement content of fresh concrete (96-M15) Whiting, D., and Nagi, M., Jan.-Feb. 1999. 101
—Statistical approach to ingress of chloride ions in silica fume concrete for bridge decks (96-M82) Nov.-Dec. 1999. 670
Windsor probe test for nondestructive evaluation of normal and high-strength concrete (96-M55) Al-Manaseer, A. A., and Aquino, E. B., July-Aug. 1999 440
Workability
—Crushed bricks as coarse aggregate for concrete (96-M60) Mansur, M. A., Wee, T. H., and Cheran, L. S., July-Aug. 1999 478
—Effect of water velocity on performance of underwater self-consolidating concrete (96-M64) Sonebi, M., and Khayat, K. H., Sept.-Oct. 1999 519
—Workability, testing, and performance of self-consolidating concrete (96-M43) Khayat, K. H., May-June 1999 346
Workability, testing, and performance of self-consolidating concrete (96-M43) Khayat, K. H., May-June 1999 346
Wu, H.-C.—Development of flexural composite properties and dry shrinkage behavior of high-performance fiber-reinforced cementitious composites at early ages (96-M3) Jan.-Feb. 1999 20

XY

Yahina, A.
—Applications of statistical models for proportioning underwater concrete (96-M77) Nov.-Dec. 1999 634
—High-performance cement grout for post-tensioning applications (96-M59) July-Aug. 1999. 471
Yang, S.—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Jan.-Feb. 1999 3
Yankelevsky, D. Z.—Behavior of reinforced concrete walls with internal plaster coating under exterior hard projectile impact (96-M17) Jan.-Feb. 1999 116
Yehia, S.—Conductive concrete overlay for bridge deck deicing (96-M48) May-June 1999 382
Yield strength
—Study of high-strength concretes reinforced with high-strength reinforcement: Study of bonding laws and cracking in static system (96-M62) Bernardi, S., Mesureur, B., and Rivillon, P., July-Aug. 1999 491

Z

Zhang, C.—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Mar.-Apr. 1999 204
Zhang, M.-H.
—Blended fly ash cements—A review (96-M78) Nov.-Dec. 1999. . . . 641
—Concrete incorporating supplementary cementing materials: Effect on compressive strength and resistance to chloride-ion penetration (96-M23) Mar.-Apr. 1999 181
—Performance of steel reinforcement in portland cement and high-volume fly ash concretes exposed to chloride solution (96-M68) Sept.-Oct. 1999 551
Zhang, N.—Influence of dimension of test specimen on alkali-aggregate reactive expansion (96-M26) Mar.-Apr. 1999 204
Zhao, T.-J.—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Jan.-Feb. 1999. . . . 84
Zhu, J.-Q.—Modification of pore chemicals in evaluation of high-performance concrete permeability (96-M12) Jan.-Feb. 1999. . . . 84
Zingone, G.—Compressive stress-strain behavior of normal and high-strength carbon-fiber concrete reinforced with steel spirals (96-M4) Jan.-Feb. 1999. 2
Zollinger, D. G.—Determination of fracture energy and process zone length using variable-notch one-side specimens (96-M1) Jan.-Feb. 1999. 3